









































Front - Avant - VA





Color marking	xWD	VW part number	Additive	Permissible axle load	Model spécification	Comments	Wire thickness	Height	Diameter	Distance between hub and wing edge
Repère couleur	xWD	Numéro VW	Additif	Charge à l'essieu autorisée	Modèle spécifications	Commentaires	Diamètre du fil	Taille	Diamètre	Distance moyeu-bord aile
Farbringe	xWD	VW-Teilenummer	Zusatz	zul. Achslast	Modellangabe (ONKEL)	Bemerkungen (RepLeif, Forum, etc.)	Drahtdicke	Höhe	Durchmesser	Abstand zwischen Nabe und Flügkante
Blue	2 WD	251 411 105	A 952	1200 Kg	1) 245 - 256 2) 253 : M115 (Motor KY) / M317 (Motor ?) / M355 (Motor JX) / M609 (VW Camper)	- Panel van - Caravelle & Camper Diesel - Ambulance with reinforced shock absorbers for bad roads M103 - Caravelle, Carat, Camper petrol	16,3 mm	360 mm	132 mm	430 mm
Blue	2 WD	251 411 105	-	-	1) 247 : Pick up Doka 25 L (Motor KY)	-	16,4 mm	360 mm	133 mm	-
Bleu	2 WD	251 411 105	-	-	1) Camping car Atlantic	- Atlantic	16,4 mm	350 mm	130 mm	410 mm
Brown	2 WD	251 411 105	B 952	1200 Kg		Reinforced version compared to 251 411 105 A 952, until 1984 (Chassis No. 24 E 220 000), 16.8mm wire diameter. - Panel van - Caravelle & Camping Diesel	16,8 mm	?	?	-
Green	2 WD	251 411 105	C 952	1300 Kg	1) 245 - 256 : M103 (reinforced shock absorbers front and rear (not all-wheel drive) / M325 (load capacity 1.2 - 1.3 tonnes at the front (= reinforced front axle) dependent from model year) / M384 (permissible rear axle load 1.4 tons)	1300 kg for increased payload GVW 2600 kg - Panel van - Caravelle & Camping Diesel - Ambulance - Caravelle, Carat & Camping with petrol	17,8 mm	334 mm	136 mm	-
Purple	4 WD	251 411 105	F 952	1300 Kg	1) All-wheel drive (Syncro)	- All-wheel drive (Syncro)	16,5 mm	320 mm	134 mm	-
Yellow	2 WD	251 411 105	952	1200 Kg		- Ambulance - Caravelle, Carat & Camping petrol	?	?	?	-
Brown	2 WD	251 411 105	A 952	1200 Kg	1) Carat, camping car, ambulance	Wire diameter 16,1 mm - Ambulance - Caravelle, Carat & Camping petrol	16,1 mm	?	?	-
Yellow	2 WD	251 411 105	951	1200 Kg	1) 253 - 256 : M456 (lower landing gear 30 mm)	Lowered. - Multivan (xxxStar, LLE)	?	?	?	-

White		2 WD	251 411 105	-	-	-	-	16,6 mm	325 mm	?	-	
White		White	2 WD	?	?	?	1) Camping car, châssis 25 A	-	16,4 mm	345 mm	?	410 mm
			2 WD	251 411 123	B		82 mm additional spring: 1) Carat, camping car ambulance M231 (seat / couch bench facility) / M685 (front bench with folding armrest two-seater in the passenger compartment) 2) M456 (lower landing gear 30 mm)					-
			2 WD	251 411 123	E		88 mm additional spring: 1) 245 - 256					-
			4 WD	251 411 123	F		Additional spring: 1) 255 - 256					-
			2 WD	29951 VA	-		H & R G/O - Too hard	- 60 mm	16,3 mm	315 mm	130 mm	370 > 360 mm
			2 WD	T3-EIB-PRO40	-		Eibach	- 40 mm	17,9 mm	305 mm	135 mm	380 mm
			2 WD	2WD-SPRING-BNDL	-		Use with GoWesty product : 361-SPACER - KIT	+ 1.5 Inch (+ 3,8 cm)	16,8 mm	420 mm	135 mm	-

Rear - Arrière - HA

Color marking	xWD	VW part number	Additive	Permissible axle load	Model spécification	Comments	Wire thickness	Height	Diameter	Distance between hub and wing edge
Repère couleur	xWD	Numéro VW	Additif	Charge à l'essieu autorisée	Modèle spécifications	Commentaires	Diamètre du fil	Taille	Diamètre	Distance moyeu-bord aile
Farbringe	xWD	VW-Teilenummer	Zusatz	zul. Achslast	Modellangabe (ONKEL)	Bemerkungen (RepLeitf, Forum, etc.)	Drahtdicke	Höhe	Durchmesser	Abstand zwischen Nabe und Flügelkante

Yellow	X	Yellow	2 WD	251 511 105	952	1200 - 1300 Kg	1) 245 - 256 2) 255 - 256 : M325 (load capacity 1.2 / 1.3 tons at the front (= reinforced Front axle) depending on the model year) / M384 (permissible rear axle load 1.4 Metric tons) 3) 255 - 256 : M103 (reinforced shock absorbers front and rear (not all-wheel))	1400 kg for increased payload GVW 2600kg - Panel van & pick-up (1300kg & 1400kg) - Caravelle & ambulance (1300kg with adjustable shock absorber for bad roads M103) - Caravelle & ambulance (1400kg without adjustable shock absorbers for bad roads M103) - Caravelle, Carat & Camping (1400kg) Springs with the same dimensions but different marking (colored rings): - 2x yellow - 2x yellow & 1x green - 1x yellow & 1x blue - 1x yellow	18,2 mm (Ndir 18,6)	260 mm (Ndir 265)	160 mm	-
Yellow	Yellow	Green										-
Yellow	X	Blue										-
Yellow	X	X										430 mm
Yellow	X	Yellow	2 WD	251 511 105	-	-	-	-	19 mm	305	-	-
Yellow	Yellow	White	2 WD	251 511 105	-	-	1) 247 : Pick up Doka 25 L (Motor KY)	-	18,3 mm	265	163 mm	-
Brown	X	X	2 WD	251 511 105	A 951	?	1) 253 - 254 : Ambulance.		?	261 mm	164 mm	-
Green	X	Green	4 WD	251 511 105	E 952	1380 Kg	1) All-wheel drive (Syncro)	- All-wheel drive (Syncro)	19,5 mm	320 mm	160 mm	-
Red	X	X	2 WD	251 511 105	A 951	1300 Kg		- Ambulance avec équipement supplémentaire M130	?	?	?	-
Blue	X	Blue	2 WD	251 511 105	C 952	1300 Kg	1) 253 - 254: M015 (bench with folding armrest in the passenger compartment, 3-seater) / M16 (bench in the rear passenger compartment, 3-seater) / M017 (bench in the front passenger compartment, 2-seater) / CARAVELLE, CARAT, JOKER, DEHLER, MULTIVAN, COMBINATION WITH SEATS, camper van / M231 (seat / couch bench) / M685 (front bench with folding armrest two-seater in the passenger compartment)	- Caravelle & ambulance - Caravelle, Carat & Camping car Springs with the same dimensions but different marking (colored rings) : - 2x blue - 1x blue	17 mm	280 mm	165 mm	-
Blue	X	X										-
?	?	?	2 WD	251 511 105	-	-	1) Camping car Atlantic	- Atlantic	18,3 mm	265 mm	165 mm	-

Green		2 WD	251 511 105	E 951	1300 Kg	1) 253 - 256 : M456 (lower landing gear 30 mm)	Lowered. - Multivan (xxxStar, LLE)	?	?	?	-
		2 WD	29951 HA	-		H & R G/O - Too hard	- 60 mm	15,3 mm	258 mm	150 mm	375 mm
		2 WD	Eibach	-		Eibach - Brickwerks T3-EIB-PRO40	- 40 mm	17,5 mm	225 mm	155 mm	380 mm
		2 WD	GoWesty	-		GoWesty 2WD-SPRING-BNDL	+ 1.5 Inch (+ 3,8 cm)	17,8 mm	290 mm	160 mm	-

Models:

- 245 / 246 > Pick up Sinka (LHD / RHD)
- 247 / 248 > Pick up Doka (LHD / RHD)
- 251 / 252 > Panel van (LHD / RHD)
- 253 / 254 > Combi - Bus (also Multivan) (LHD / RHD)
- 255 / 256 > Caravelle (LHD / RHD)

> At Syncros there is a "299" after the code.

Toutes reproductions, totale ou partielle, ne peut se faire qu'avec l'accord écrit de l'auteur.